

McKESSON

McKesson Medical-Surgical
Quality Assurance
9954 Mayland Drive
Richmond, VA 23233-1464

Rec 2/6/24

URGENT DRUG RECALL

MCK50C 6269183 855182482 RC-2026-011Y MMSP 2867
VERICOR LLC
ATTN: RISK MANAGEMENT
703 WESTERN AVE
HOLMEN WI 54636-9787



URGENT DRUG RECALL

January 28, 2026

Dear Valued McKesson Customer:

HUB Pharmaceuticals has notified McKesson Medical-Surgical Inc. (MMS) of an Urgent Drug Notice regarding specific lot(s) of their BioGlo Ophthalmic Strips. This notice has been issued because it was not manufactured in conformance with current good manufacturing practices. Affected product first shipped June 1, 2021.

This Urgent Drug Recall is being done with the knowledge of the U.S. Food and Drug Administration. McKesson Medical-Surgical Inc. has taken appropriate action per this notice.

For questions regarding this notification, please contact HUB at (888) 670-0677.

A review of our records indicates that your company may have purchased items included in this notification. Carefully review the information in this letter and follow the instructions provided below.

Refer to the table for a list of affected item(s) distributed by McKesson Medical-Surgical

MMS #	NDC #	Description	Affected Lot(s)	Exp. Date	Affected Lot(s)	Exp. Date
761236	17238090011	BIOGLO, OPHTH TEST STRIP 1MG (100/BX)	HUA0022	3/31/2028	HUA0054	12/31/2028
			HUA0023	3/31/2028	HUA0055	12/31/2028
			HUA0024	3/31/2028	HUA0056	12/31/2028
			HUA0025	4/30/2028	HUA0057	12/31/2028
			HUA0026	4/30/2028	HUA0058	12/31/2028
			HUA0027	4/30/2028	HUA0059	12/31/2028
			HUA0028	4/30/2028	HUA0060	12/31/2028
			HUA0029	6/30/2028	HUA0061	1/31/2029
			HUA0030	7/31/2028	HUA0062	1/31/2029
			HUA0031	7/31/2028	HUA0063	1/31/2029
			HUA0032	7/31/2028	HUA0064	1/31/2029
			HUA0033	8/31/2028	HUA0065	1/31/2029
			HUA0034	8/31/2028	HUA0066	1/31/2029
			HUA0035	8/31/2028	HUA0067	1/31/2029
			HUA0036	8/31/2028	HUA0068	1/31/2029
			HUA0037	9/30/2028	HUA0069	1/31/2029
			HUA0038	9/30/2028	HUA0070	2/28/2029
			HUA0039	9/30/2028	HUA0071	2/28/2029
			HUA0040	9/30/2028	HUA0072	2/28/2029
			HUA0041	9/30/2028	HUA0073	2/28/2029
			HUA0042	9/30/2028	HUA0074	2/28/2029
			HUA0043	11/30/2028	HUA0075	2/28/2029
			HUA0044	11/30/2028	HUA0076	2/28/2029
			HUA0045	11/30/2028	HUA0077	2/28/2029
			HUA0046	11/30/2028	HUA0078	2/28/2029
			HUA0047	11/30/2028	HUA0079	2/28/2029

McKesson Medical-Surgical Inc.

www.mckesson.com
RC-2026-011

MMS #	NDC #	Description	Affected Lot(s)	Exp. Date	Affected Lot(s)	Exp. Date
761236	17238090011	BIOGLO, OPHTH TEST STRIP 1MG (100/BX)	HUA0048	11/30/2028	HUA0080	2/28/2029
			HUA0049	11/30/2028	HUA0081	2/28/2029
			HUA0050	11/30/2028	HUA0082	2/28/2029
			HUA0051	11/30/2028	HUA0083	3/31/2029
			HUA0052	12/31/2028	HUA0084	3/31/2029
			HUA0053	12/31/2028	HUA0085	3/31/2029
798118	17238090030	BIOGLO, OPHTH TEST STRIP 1MG (300/BX)	HUC0092	1/31/2026	HUC0123	8/31/2028
			HUC0093	1/31/2026	HUC0124	8/31/2028
			HUC0094	1/31/2026	HUC0125	8/31/2028
			HUC0095	1/31/2026	HUC0126	4/30/2029
			HUC0096	1/31/2026	HUC0127	4/30/2029
			HUC0097	1/31/2026	HUC0128	4/30/2029
			HUC0098	1/31/2026	HUC0129	4/30/2029
			HUC0106	4/30/2027	HUC0130	4/30/2029
			HUC0107	4/30/2027	HUC0131	4/30/2029
			HUC0108	4/30/2027	HUC0132	4/30/2029
			HUC0109	9/30/2027	HUC0133	4/30/2029
			HUC0110	9/30/2027	HUC0134	4/30/2029
			HUC0111	4/30/2028	HUC0135	4/30/2029
			HUC0112	4/30/2028	HUC0136	5/31/2029
			HUC0113	4/30/2028	HUC0137	5/31/2029
			HUC0114	4/30/2028	HUC0138	5/31/2029
			HUC0115	4/30/2028	HUC0139	5/31/2029
			HUC0116	6/30/2028	HUC0140	5/31/2029
			HUC0117	6/30/2028	HUC0141	5/31/2029
			HUC0118	6/30/2028	HUC0142	6/30/2029
			HUC0119	6/30/2028	HUC0143	6/30/2029
			HUC0120	6/30/2028	HUC0144	6/30/2029
			HUC0121	8/31/2028	HUC0145	6/30/2029
			HUC0122	8/31/2028		

McKesson Customer Instructions:

- 1.) Immediately discontinue use of any product matching the affected item(s) and lot number(s) listed in the item table. If you have no products matching the affected item(s) and lot number(s), no further action is needed.
- 2.) A copy of the Urgent Drug Recall from HUB has been included for reference.
- 3.) If you have product affected by this notice, fill out the McKesson Reply Form and return it to our Corporate Customer Service Center via email at MMSRecalls@McKesson.com or fax at (866) 871-0270. To ensure timely credit to your account and support the completion of this notice, please respond within 30 days.

McKesson Medical-Surgical Inc.

- **Please note:** Any product returned in addition to or in lieu of affected product will be destroyed, without issuance of a credit. The affected product lot numbers are listed in the item table. Once the product is returned, credit will be issued to you.
- **Please place a new order for replacement product if there is an immediate need.**

- 4.) If you have further distributed any of the item(s) referenced in this notification, provide your accounts with a copy of this notification and request that they return the affected product directly to you.

We sincerely apologize for any inconvenience this notice may have caused you and your staff. If you have any questions about information provided in this communication, please contact our **McKesson Medical-Surgical Recall Message Center** at MMSRecalls@McKesson.com or call (800) 688-8840.

Thank you for your prompt attention,

McKesson Medical-Surgical Inc.

McKesson Medical-Surgical Inc.
Drug Recall Reply Form: RC-2026-011
HUB – BioGlo

January 28, 2026

Complete this reply form and return all pages immediately via email to MMSRecalls@McKesson.com or fax at (866) 871-0270 should you have affected product.

To ensure timely credit to your account and support the completion of this notice, please respond within 30 days.

Date: _____

Your Name: _____

Email Address: _____

Phone Number: _____

Fax Number: _____

Account: 58873197 District: 0520000
VERICOR LLC
ATTN: RISK MANAGEMENT
703 WESTERN AVE
HOLMEN, WI 54636-9787

☐ I acknowledge that I DO HAVE product affected by this notification and have followed the instructions for return.

Qty	Unit of Measure	MMS #	NDC #	Description
		761236	17238090011	BIOGLO, OPHTH TEST STRIP 1MG (100/BX)
		798118	17238090030	BIOGLO, OPHTH TEST STRIP 1MG (300/BX)

*Return Affected lot numbers only

*** Any product returned in addition to or in lieu of affected product will be destroyed, without issuance of a credit. The affected lot numbers are listed on the McKesson customer letter.**

If you are on a McKesson truck route, a delivery professional will pick up the affected products, otherwise you will receive UPS return label(s) via email or fax.

☐ I am on a McKesson truck route, please schedule a delivery professional pick up.

☐ Please send my UPS/Return label by ☐ Fax or ☐ Email. Number of UPS Parcels to be returned: _____

If you have any questions about information provided in this communication, please contact the McKesson Recall Message Center at MMSRecalls@McKesson.com or call (800) 688-8840.

See instructions on the reverse side of this form to access McKesson Medical-Surgical's online product ordering system, "SupplyManager", for a fillable form.

Instructions for the McKesson Medical-Surgical online product ordering system – “SupplyManager”, to access and download a “fillable” PDF reply form.

- 1) It is important to download the correct reply form for the specific recall you are responding to.
 - a. Reply forms have a specific designation, example: RC-202X-XXX.
 - “202X” is the recall year, and “XXX” is the 3-digit unique numeric identifier for the recall.
- 2) Go to <https://mms.mckesson.com/> and log in to “SupplyManager”, with your username and password.
- 3) On the home page, under ‘Essential Tasks’ click ‘Your Account.’ Under ‘Resources’ a support link titled “Product Recalls” can be found on the right side.
- 4) Click on the hyperlink “Product Recalls” (this will open a listing of recalls for the last 3 months).



- 5) On the recalls list page, locate the “Find” box.
 - a. From the drop-down options, select one of the following: “Keyword”, “McKesson Item #” or “Manufacturer”.
 - b. Enter a Keyword, McKesson Item #, or Manufacturer name in the Find box and click “Find”.

Find Manufacturer ▼ Find Clear

- c. A list of issued recalls will be made visible for you to select from.

- 6) Click on the blue hyperlink, found under the heading “Recall Notice,” for the notice details you want to access.

Manufacturer	Recall Notice	Issued ▼
--------------	---------------	----------

- 7) The PDF customer documents associated with the notice will be displayed, *this includes the reply form to download and complete for your response.*
- 8) Click on the hyperlink(s) to open the Customer Document(s). Save/Download this document to your computer. Once the documents are saved, close out the document window.
- 9) Submit completed reply form to MMSRecalls@McKesson.com.
- 10) If you wish to view additional recalls, return to the home recall page by clicking the blue “View All Recalls” button at the upper right corner of the page above the blue alert banner.



8767 E Via de Ventura
Suite 175
Scottsdale, AZ 85258
888-393-3767
info@hubrx.com

URGENT: DRUG RECALL

January 15, 2026

VIA EMAIL AND US MAIL

McKesson Drug
6555 State Highway 161
Irvine, TX 75039

Via email: ProductRecall@McKesson.com

Dear Valued **Wholesaler /Distributor**

This is to inform you that one of our contract manufacturers, Wizcure Pharmaa Ltd., is recalling all lots of the following products that are within their expiration date.

Product Description	NDC#
BioGlo (fluorescein sodium) Ophthalmic Strips, USP, 1mg - 100	17238-900-11
BioGlo (fluorescein sodium) Ophthalmic Strips, USP, 1mg - 300	17238-900-30

Wizcure Pharmaa is recalling the product because it was not manufactured in conformance with current good manufacturing practices. The Wizcure product has Omni Lens Private Ltd. on the label. That is the only BioGlo product being recalled.

It is important to note that no adverse events have been reported to Wizcure Pharmaa or Hub Pharmaceuticals in the US prior to or after we stopped carrying the product in October of 2024.

This is a voluntary recall and applies only to products manufactured by Wizcure Pharmaa and is being conducted with the Food and Drug Administration's full knowledge and concurrence.

Immediately examine your inventory, quarantine any product subject to recall, and record the quantity of recalled inventory. The product is being recalled down to the retail level. ~~Please contact our contracted recall coordinator, TJ~~



8767 E Via de Ventura
Suite 175
Scottsdale, AZ 85258
888-393-3767
info@hubrx.com

~~McKnight, provider for RMA (Return Material Authorization) at 888-670-0677
and return all products to:~~

~~Recall Operations c/o Vistamerica USA LLC
15207 N 75th Street, Suite 104
Scottsdale, AZ 85260~~

If you have any questions, please call TJ McKnight.

Recall Coordinator: TJ McKnight

Email: recall@vistaotc.com

Phone: 888-670-0677

Days & Time: Mon - Fri
9:00 am – 3:00 pm
Mountain Standard Time (MST)

~~Please complete and return the Response Form and attach it to the shipment.
The recall return center will issue a UPS call tag for the product's return. Hub will
issue credits for full carton returns. DO NOT return partial boxes of product.~~

Thank you for your cooperation and support.

Sincerely,

A handwritten signature in black ink, appearing to read "Rick Manner".

Rick Manner
Executive Director

Enclosure - ~~Response Form &~~ Wiscure Pharmaa Recall Letter

Cc: TJ McKnight
Recall Coordinator



8767 E Via de Ventura
Suite 175
Scottsdale, AZ 85258
888-393-3767
info@hubrx.com

HUB BIO GLO PRODUCT RECALL

SOLD FROM JUNE 2021 THROUGH OCTOBER 2024

BIO GLO 300		
Ship Date	LOT	EXP.
06/07/2021	HUC0092	01/2026
06/07/2021	HUC0093	01/2026
06/07/2021	HUC0094	01/2026
06/07/2021	HUC0095	01/2026
06/07/2021	HUC0096	01/2026
06/07/2021	HUC0097	01/2026
06/07/2021	HUC0098	01/2026
04/13/2023	HUC0106	04/2027
04/13/2023	HUC0107	04/2027
04/13/2023	HUC0108	04/2027
04/13/2023	HUC0109	09/2027
04/13/2023	HUC0110	09/2027
08/14/2023	HUC0111	04/2028
08/14/2023	HUC0112	04/2028
08/14/2023	HUC0113	04/2028
08/14/2023	HUC0114	04/2028
08/14/2023	HUC0115	04/2028
10/03/2023	HUC0116	06/2028
10/03/2023	HUC0117	06/2028
10/03/2023	HUC0118	06/2028
10/03/2023	HUC0119	06/2028
10/03/2023	HUC0120	06/2028
12/29/2023	HUC0121	08/2028
12/29/2023	HUC0122	08/2028
12/29/2023	HUC0123	08/2028
12/29/2023	HUC0124	08/2028
12/29/2023	HUC0125	08/2028
07/09/2024	HUC0126	04/2029
07/09/2024	HUC0127	04/2029

BIO GLO 300		
Ship Date	LOT	EXP.
07/09/2024	HUC0128	04/2029
07/09/2024	HUC0129	04/2029
07/09/2024	HUC0130	04/2029
07/09/2024	HUC0131	04/2029
07/09/2024	HUC0132	04/2029
07/09/2024	HUC0133	04/2029
07/09/2024	HUC0134	04/2029
07/09/2024	HUC0135	04/2029
08/14/2024	HUC0136	05/2029
08/14/2024	HUC0137	05/2029
08/14/2024	HUC0138	05/2029
08/14/2024	HUC0139	05/2029
08/14/2024	HUC0140	05/2029
08/14/2024	HUC0141	05/2029
08/14/2024	HUC0142	06/2029
08/14/2024	HUC0143	06/2029
08/14/2024	HUC0144	06/2029
08/14/2024	HUC0145	06/2029

BIO GLO 100		
Ship Date	LOT	EXP.
07/10/2023	HUA0022	03/2028
07/10/2023	HUA0023	03/2028
07/10/2023	HUA0024	03/2028
07/10/2023	HUA0025	04/2028
07/10/2023	HUA0026	04/2028
07/10/2023	HUA0027	04/2028
07/10/2023	HUA0028	04/2028
07/31/2023	HUA0025	04/2028
07/31/2023	HUA0025	04/2028
10/26/2023	HUA0029	06/2028
10/26/2023	HUA0030	07/2028
10/26/2023	HUA0031	07/2028
10/26/2023	HUA0032	07/2028
11/27/2023	HUA0032	07/2028
11/27/2023	HUA0033	08/2028
11/27/2023	HUA0034	08/2028
11/27/2023	HUA0035	08/2028
01/04/2024	HUA0036	08/2028
01/04/2024	HUA0037	09/2028
01/04/2024	HUA0038	09/2028
01/04/2024	HUA0039	09/2028
01/04/2024	HUA0040	09/2028
01/04/2024	HUA0041	09/2028
02/08/2024	HUA0041	09/2028
02/08/2024	HUA0042	09/2028
02/08/2024	HUA0043	11/2028
02/08/2024	HUA0044	11/2028
02/08/2024	HUA0045	11/2028
02/08/2024	HUA0046	11/2028
02/23/2024	HUA0047	11/2028
02/23/2024	HUA0048	11/2028
02/23/2024	HUA0049	11/2028
02/23/2024	HUA0050	11/2028
03/01/2024	HUA0050	11/2028
03/01/2024	HUA0051	11/2028
03/01/2024	HUA0052	12/2028

BIO GLO 100		
Ship Date	LOT	EXP.
03/01/2024	HUA0053	12/2028
03/20/2024	HUA0054	12/2028
03/20/2024	HUA0055	12/2028
03/20/2024	HUA0056	12/2028
03/20/2024	HUA0057	12/2028
03/20/2024	HUA0058	12/2028
03/20/2024	HUA0059	12/2028
04/19/2024	HUA0059	12/2028
04/19/2024	HUA0060	12/2028
04/19/2024	HUA0061	01/2029
04/19/2024	HUA0062	01/2029
04/19/2024	HUA0063	01/2029
04/19/2024	HUA0064	01/2029
04/19/2024	HUA0065	01/2029
04/19/2024	HUA0066	01/2029
04/19/2024	HUA0067	01/2029
04/19/2024	HUA0068	01/2029
05/08/2024	HUA0068	01/2029
05/08/2024	HUA0069	01/2029
05/08/2024	HUA0070	02/2029
05/08/2024	HUA0071	02/2029
05/08/2024	HUA0072	02/2029
05/08/2024	HUA0073	02/2029
05/08/2024	HUA0074	02/2029
05/08/2024	HUA0075	02/2029
05/08/2024	HUA0076	02/2029
05/08/2024	HUA0077	02/2029
05/29/2024	HUA0077	02/2029
05/29/2024	HUA0078	02/2029
05/29/2024	HUA0079	02/2029
05/29/2024	HUA0080	02/2029
05/29/2024	HUA0081	02/2029
05/29/2024	HUA0082	02/2029
05/29/2024	HUA0083	03/2029
05/29/2024	HUA0084	03/2029
05/29/2024	HUA0085	03/2029